

---

MORE WOOD.  
MORE FLO\_R.

---

1-STRIP PARQUET

---



**SCHEUCHER®**

# CONTENT

STRUCTURES  
SURFACES 4 - 5

---

COLOURS  
GRADES 6 - 7

---

1-STRIP  
RANGE 8 - 9

---

OAK 10 - 19  
NATURA | PERLA | BIANCA | NEBLA | AKZENT

OAK KNOTTY 20 - 33  
NATURA | PERLA | BIANCA | NEBLA | AKZENT

OAK COUNTRY 34 - 45  
NATURA | PERLA | BIANCA | NEBLA | AKZENT

OAK RUSTIKAL | OAK PALERMO 46 - 49  
OAK MARKANT

OLD OAK 50 - 51  
NATURA | JURA

OAK STEAMED | OAK STEAMED COUPAL 52 - 57  
NATURA

OAK SMOKED MEDIUM 58 - 59  
NATURA | PERLA

BLACK WALNUT | BLACK WALNUT COUNTRY 60 - 65  
NATURA

OAK SMOKED 66 - 71  
NATURA | PERLA

ASH | HEARTWOOD 72 - 73  
NATURA | PERLA

BEECH STEAMED | BEECH ST. RUSTIKAL 74 - 75  
NATURA

BLACK CHERRY 76 - 77  
NATURA

IROKO 78 - 79  
MERBAU

PRODUCT  
OVERVIEW 80 - 83

---

CARE & MAINTENANCE 84 - 85  
SEDA | TENSEO

---

ACCESSORIES 86 - 87  
STAIRBOX | ENDING FRIEZES | SKIRTINGS

---

ROOM CLIMATE 88



# THE FOREST IS OUR ORIGIN

1

Every tree that grows in our forests, every trunk, every piece of wood and therefore every parquet tells a story and is as individual as we are – is has its own unique fingerprint.

This individuality and uniqueness of the material means that our work is always exciting and varied. It is our passion to produce parquet flooring for your home from a naturally grown tree.

Assets like its natural origin as well as its processing to the most exacting and environmentally friendly standards make the range an outstanding quality product. A quality product that delivers what it promises – this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty, which guarantees the full functionality of our hardwood floors for 30 years.



# HE SUPPLIES US THE WOOD, FROM WHICH YOUR PARQUET DREAMS ARE MADE OF




## NATURAL & HEALTHY

Wood is a naturally grown raw material and no other material stands for such a naturalness and liveliness. These special characteristics make each of our parquet floors to one of a kind. Its warmth, vividness and cozy aura are real boons for all of your senses. Thanks to its moisture-regulating impact on the interior air, wood additionally ensures a sustainably healthy room climate.



## TIMELESS & MODERN

Wooden floors always hit the taste of the time since centuries. There are hardly any limits on design possibilities and due to the cooperation with interior designers, designers and the furniture industry, our assortment is constantly adapted to the latest furnishing trends.



## HYGIENIC & EASY TO CARE FOR

Germs, mites and other troublemakers don't stand a chance at parquet. Wood also has a natural antistatic effect and doesn't attract dust – this combination makes our parquet particularly long-lasting and easy to care for. Vacuuming and, if necessary, wiping up damp is absolutely sufficient for the regular cleaning.





## GUARANTEED MADE OF REAL WOOD

An invaluable decision-making aid, when selecting your floor, is the quality seal „Real Wood“, which is valid throughout Europe. It marks real wood and differs from all other wood-imitating floor coverings. Moreover the trademark stands for an excellent life cycle assessment of real wood. According to the Europe-wide valid standard EN 13756, parquet is defined as „wooden floor with a wear layer thickness of at least 2.5 mm before installing“.

## MADE FOR GENERATIONS

Parquet is an investment for life. We particularly recommend our SEDA parquet floors, which are treated with natural oils and waxes. The oil deeply penetrates the wood and is cured with oxygen (oxidative). For the finish we use a special natural oil, which makes your floor ready for occupancy. The surface is open-pored, breathable, warm to the feet, natural and prevents static charge. If necessary, scratches and damages can be repaired partially without any problems – so your floor stays beautiful for generations to come.



# MOVING STRUCTURES.

Preserved natural character. Noticeably characteristic surfaces.  
Experience them just as they are. Feel the differences.  
See the differences.

## STRUCTURE

VALLETTA natural  
VALSEGA characterful  
TOSKANA exceptional

Selected types of parquet can be obtained from Scheucher with extraordinary surface structures. This creates a tangible and visible pattern, with an incomparable feel, making the parquet floor appear three-dimensional.



VALLETTA lends parquet flooring a natural character and subtle roughness, as it is **BRUSHED AND HAS A BEVEL**.

VALSEGA ensures a characterful and striking surface impression. Here, the parquet surface is **BAND-SAWN AND BRUSHED**.

TOSKANA - **SCRAPED** - gives you an exceptionally antique sense of touch as well as an incomparably pleasant feel of walking thanks to its slightly waved surface.

## 2-SIDED AND 4-SIDED BEVEL

For all types of wood: With the product-specific 4-sided bevel surface structure, the designated parquet elements are given bevelled edges on all four sides, which allows the structure of the individual elements in the overall arrangement to stand out pleasantly. With the 2-sided bevel surface structure, the bevelled edges are only on the two longitudinal sides.





# REFINED SURFACES.

## SEDA

Your parquet is treated with natural oils and waxes according to century-old traditions to retain its original lustre. These floors are particularly beautiful with their silky matt surface with natural texture and intensive wood color. Open-pore surface finishes with breathable materials mean you are guaranteed a healthier interior climate and your home is enhanced by this touch of nature.



- + Natural oils and waxes
- + Breathable and humidity regulating
- + Healthy room climate
- + Impregnated depth protection
- + Water and dirt resistant
- + Antistatic
- + Partial reparability

5

## TENSEO

This high-quality up to 7 layers consisting sealing system ensures your wooden flooring retains its natural appearance and gives a special flair to any room. The beautifully silky sheen or matt finish gives an exclusive look to the wood while at the same time making it resistant to damage and thereby considerably extends the life of your parquet flooring.



- + Silky sheen or satin gloss
- + UV sealed surface
- + Water and dirt resistant
- + Chemical-resistant
- + Environmentally friendly and easy to care for
- + Higher wear class
- + Suitable for sports halls

## WOOD TYPES

OAK  
OAK SMOKED  
OAK SMOKED MEDIUM  
OAK STEAMED  
OLD OAK  
BLACK WALNUT  
HARD MAPLE  
ASH  
BEECH STEAMED  
BLACK CHERRY  
CHERRY EUROPEAN STEAMED  
IROKO (KAMBALA)  
MERBAU  
RED OAK


Different types of wood mean that we have something to suit every taste and personal style. From light maple parquet to dark, smoked oak wood.

Individual nuances make individual living dreams come true.

6

## PERLA

ASH | OAK | OAK SMOKED  
OAK SMOKED MEDIUM



## JURA

OLD OAK



# WORLD OF COLOURS.

## NATURA

ALL WOOD TYPES



## BIANCA

OAK



## NEBLA

OAK



## AKZENT

OAK



# TYPES LIVE.

Grown in quiet in the forest.  
As individual as nature.  
As individual as you.



## GRADES

SELECT

NATUR

CLASSIC

KNOTTY

COUNTRY\*

RUSTIKAL

STRUKTUR

EFFECT

\*available in 1-strip oak, sap free

### SELECT.

HAVEN OF PEACE.



Uniform and subtle in terms of colour and growth, this sort is a convincing choice.

Small knot points are possible and enliven the overall look.

### NATUR. CLASSIC.

PURE NATURE.



A natural growth in combination with natural colour variations and small, visible knots.

### KNOTTY.

JOIE DE VIVRE.



Free of sapwood, natural, and thanks to the many visible knots, this grading ensures tangible joie de vivre.

### COUNTRY\* RUSTIKAL. STRUKTUR. EFFECT.

POWERFUL MOMENTS.



Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.

# 1-STRIP PLANKS.

1-strip planks are enjoying great popularity for many years and particularly accentuate the uniqueness and naturalness of wood while at the same time giving a spacious and elegant impression to any kind of room.

Scheucher offers a wide range of wood types in different gradings. Thanks to its natural characteristics and many treatment possibilities, the extremely popular as well as stable oak suits every personal living style and is also perfect for the installation on underfloor heating systems. From calm to lively gradings – oak wood just meets everyone's needs. Brushed, scraped or bandsawn surface structures and treatments with natural oils and waxes give you countless design possibilities for your home.

Within the product range of Scheucher you'll find 1-strips in widths from 140mm to 222 mm, lengths from 1200 to 2400 mm as well as total thicknesses of 9.8 mm (2-layer parquet) or 14 mm (3-layer parquet). All of the products have a wear layer of approx. 3.6 mm and therefore can be renovated several times.

## SCHEUCHER 1-STRIP RANGE

**WOODflor 222** 14x222x2200mm  
NOVOLOC® 5G



**WOODflor 182** 14x182x2200mm  
NOVOLOC® 5G



**WOODflor 140** 14x140x2200mm  
NOVOLOC® 5G



**MULTIflor 2400** 9.8x222x2400mm  
NOVOLOC® 5G



**MULTIflor 2200** 9.8x182x2200mm  
NOVOLOC® 5G



**MULTIflor 1800** 9.8x140x1800mm  
NOVOLOC® 5G



**MULTIflor 1200** 9.8x140x1200mm  
NOVOLOC® 5G






OAK | COUNTRY | NATURA  
WOODflor NOVOLOC® 5G 222 | 182 | 140



# CLASSIC AND NATURAL.



PERLA

BIANCA


NEBLA

AKZENT

# TIMELESS AND MODERN.



OAK | NATUR | NEBLA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182



13





OAK | NATUR | PERLA  
MULTIflor NOVOLOC® 5G 2400 | 2200 | 1800  
WOODflor NOVOLOC® 5G 222 | 182 | 140



# INDIVIDUAL AND ELEGANT.





0

16

OAK | NATUR | NATURA  
MULTIflor NOVOLOC® 5G 1200

NATURAL AND  
COMFORTABLE.





OAK | NATUR | PERLA  
MULTIflor NOVOLOC® 5G **1800**  
WOODflor NOVOLOC® 5G **140**

# CALM AND RELAXED.



NATURA

BIANCA




D  
20



OAK | KNOTTY | NATURA  
MULTIflor NOVOLOC® 5G 2400 | 2200 | 1800  
WOODflor NOVOLOC® 5G 222 | 182 | 140

# A SPECTACLE OF NATURE.



# UNIQUE AND GENTLE.



OAK | KNOTTY | BIANCA  
MULTIflor NOVOLOC® 5G 2400



23

NATURA

PERLA

AKZENT



24

OAK | KNOTTY | NEBLA  
MULTIflor NOVOLOC® 5G **2200**  
WOODflor NOVOLOC® 5G **182**



NATURA

PERLA

BIANCA

AKZENT



OAK | KNOTTY | PERLA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182




# PLAYFUL AND PLEASANT.



D  
28

OAK | KNOTTY | NATURA  
MULTIflor NOVOLOC® 5G **2200**  
WOODflor NOVOLOC® 5G **182**



PERLA

BIANCA

NEBLA

AKZENT

# ELEGANT AND POPULAR.



OAK | KNOTTY | AKZENT  
MULTIflor NOVOLOC® 5G 1800 | 1200  
WOODflor NOVOLOC® 5G 140



NATURA



PERLA



BIANCA





OAK | KNOTTY | PERLA

MULTIflor NOVOLOC® 5G 1800 | 1200

WOODflor NOVOLOC® 5G 140



32



OAK | KNOTTY | BIANCA

MULTIflor NOVOLOC® 5G 1800 | 1200

WOODflor NOVOLOC® 5G 140




NATURA

PERLA

AKZENT

# GENEROUS AND STYLISH.

D  
34



OAK | COUNTRY | AKZENT  
MULTIflor NOVOLOC® 5G 2400  
WOODflor NOVOLOC® 5G 222





NATURA

AKZENT

OAK | COUNTRY | PERLA | TOSKANA

MULTIflor NOVOLOC® 5G 2200

WOODflor NOVOLOC® 5G 182



OAK | COUNTRY | PERLA

MULTIflor NOVOLOC® 5G 2400


WOODflor NOVOLOC® 5G 222



NATURA



BIANCA



AKZENT





OAK | COUNTRY | BIANCA

MULTIflor NOVOLOC® 5G **2400** | **2200** | **1800**

WOODflor NOVOLOC® 5G **222** | **182** | **140**

NATURA

PERLA

AKZENT



OAK | COUNTRY | NATURA

MULTIflor NOVOLOC® 5G **2400**

WOODflor NOVOLOC® 5G **222**

# NATURAL AND HEALTHY.




D

39

PERLA



BIANCA



AKZENT






40

OAK | COUNTRY | BIANCA  
MULTIflor NOVOLOC® 5G **2200**  
WOODflor NOVOLOC® 5G **182**

# PLEASANT AND LIVELY.





OAK | COUNTRY | NATURA | TOSKANA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182



PALPABLE  
AND UNIQUE.



PERLA

AKZENT





# RUSTIC AND VIVID.







48

OAK | PALERMO | NATURA  
WOODflor NOVOLOC® 5G 182

PERLA

# CONTRASTY AND ALIVE.





OLD OAK | COUNTRY | NATURA  
WOODflor NOVOLOC® 5G 182



OLD OAK | COUNTRY | JURA  
WOODflor NOVOLOC® 5G 222 | 182 | 140

NATURA





OAK STEAMED | NATUR | NATURA  
WOODflor NOVOLOC® 5G 182

NOBLE AND  
HOMELY.





OAK STEAMED | COUPAL | NATURA  
WOODflor NOVOLOC® 5G 222



OAK STEAMED | COUPAL | NATURA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182





OAK STEAMED | COUPAL | NATURA  
MULTIflor NOVOLOC® 5G 1800 | 1200  
WOODflor NOVOLOC® 5G 140



OAK STEAMED | COUPAL | NATURA  
MULTIflor NOVOLOC® 5G 1800 | 1200  
WOODflor NOVOLOC® 5G 140



# TRENDY AND MODERN.







**BLACK WALNUT | NATUR | NATURA**  
**MULTIflor NOVOLOC® 5G 2200**  
**WOODflor NOVOLOC® 5G 182**



**BLACK WALNUT | EFFECT | NATURA  
WOODflor NOVOLOC® 5G 182**



# STYLISH AND CHARMING.




BLACK WALNUT | COUNTRY | NATURA  
WOODflor NOVOLOC® 5G 182





**BLACK WALNUT | NATUR | NATURA**  
**MULTIflor NOVOLOC® 5G 1800 | 1200**  
**WOODflor NOVOLOC® 5G 140**



ENCHANTING  
AND COZY.



OAK SMOKE | NATUR | NATURA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182



OAK SMOKE | NATUR | PERLA  
MULTIflor NOVOLOC® 5G 2200  
WOODflor NOVOLOC® 5G 182

IMPRESSING  
AND INDIVIDUAL.



# EXCLUSIVE AND EXPRESSIVE.



OAK SMOKED | NATUR | NATURA  
WOODflor NOVOLOC® 5G 222





**OAK SMOKE | NATUR | NATURA**  
**MULTIflor NOVOLOC® 5G 1800 | 1200**  
**WOODflor NOVOLOC® 5G 140**

**DOMINANT AND  
FASCINATING.**





ASH | HEARTWOOD | NATUR | NATURA  
WOODflor NOVOLOC® 5G 182



ASH | NATUR | PERLA  
WOODflor NOVOLOC® 5G 182

**NOBLE AND  
EXTRAVAGANT.**





D

74

BEECH STEAMED | NATUR | NATURA  
WOODflor NOVOLOC® 5G 182




# AUTHENTIC AND ORIGINAL.

76









**MERBAU**  
**WOODflor NOVOLOC® 5G 182**



# PRODUCT OVERVIEW

## WOODflor NOVOLOC® 222

**Dimensions** 14 x 222 x 2200 mm

**Installation** Glueless, floating or glue-down installation

**Packaging** 6 pieces/pack = 2.930 m<sup>2</sup>, 32 packs/pallet = 93.773 m<sup>2</sup>

Suitable for underfloor heating R<sub>t</sub>=0.101 m<sup>2</sup>K/W



## WOODflor NOVOLOC® 182

**Dimensions** 14 x 182 x 2200 mm

**Installation** Glueless, floating or glue-down installation

**Packaging** 6 pieces/pack = 2.402 m<sup>2</sup>, 40 packs/pallet = 96.080 m<sup>2</sup>

Suitable for underfloor heating R<sub>t</sub>=0.101 m<sup>2</sup>K/W



## WOODflor NOVOLOC® 140

**Dimensions** 14 x 140 x 2200 mm

**Installation** Glueless, floating or glue-down installation

**Packaging** 6 pieces/pack = 1.848 m<sup>2</sup>, 56 packs/pallet = 103.488 m<sup>2</sup>

Suitable for underfloor heating R<sub>t</sub>=0.101 m<sup>2</sup>K/W





## MULTIflor NOVOLOC® 5G 2400

Dimensions 9.8 x 222 x 2400 mm

Installation Glue-down installation

Packaging 6 pieces/pack = 3.197 m<sup>2</sup>, 40 packs/pallet = 127.880 m<sup>2</sup>

Suitable for underfloor heating  $R_t=0.058\text{ m}^2\text{K/W}$



## MULTIflor NOVOLOC® 5G 2200

Dimensions 9.8 x 182 x 2200 mm

Installation Glue-down installation

Packaging 6 pieces/pack = 2.403 m<sup>2</sup>, 50 packs/pallet = 120.150 m<sup>2</sup>

Suitable for underfloor heating  $R_t=0.058\text{ m}^2\text{K/W}$



## WOODflor NOVOLOC® 5G 1800

Dimensions 9.8 x 140 x 1800 mm

Installation Glue-down installation

Packaging 10 pieces/pack = 2.520 m<sup>2</sup>, 49 packs/pallet = 123.480 m<sup>2</sup>

Suitable for underfloor heating  $R_t=0.058\text{ m}^2\text{K/W}$



## MULTIflor NOVOLOC® 5G 1200

Dimensions 9.8 x 140 x 1200 mm

Installation Glue-down installation

Packaging 10 pieces/pack = 1.680 m<sup>2</sup>, 49 packs/pallet = 82.320 m<sup>2</sup>

Suitable for underfloor heating  $R_t=0.058\text{ m}^2\text{K/W}$



# WOODflor NOVOLOC® 5G

The 3-layer parquet range **WOODflor NOVOLOC® 5G** is the classic from Scheucher and has proven its worth over decades. Thanks to its special construction you'll profit from an enormous stability, resilience as well as a high warp-resistance. This way **WOODflor NOVOLOC® 5G** parquet can also be installed floating on an appropriate underlay as well as glued down on a screed or wooden composite subfloor. With the reliable **NOVOLOC® 5G** interlocking system planks are simply locked together, aligning themselves automatically click by click. This ensures a clean and safe installation result including high savings in time.

Surface finish SEDA or TENSEO

Approx. 3.6 mm wear layer from selected solid wood

Core layer of quarter-sawn European softwood –  
with small gap between elements

**Ends** with  
hydrophobic impregnation

Plywood inserts  
at both ends (water-resistant)  
with integrated locking tongue

2 mm spruce bottom  
veneer sanded



**RELOC**

is a specially designed model to change the direction of installation on fully glued down parquet floors. Available on special order for all articles of **WOODflor NOVOLOC® 5G**.



Values prefixed by „approx.“  
signify a tolerance of ± 10%.

## PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + 3-LAYER PARQUET
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Suitable for underfloor heating
- + Glue-down installation
- + Floating installation
- + **1-strip**
  - 14 x 140 x 2200
  - 14 x 182 x 2200
  - 14 x 222 x 2200

# MULTIflor NOVOLOC® 5G

**MULTIflor NOVOLOC® 5G** is an innovative, diverse range of 2-layer parquet creations, which, alongside single planks and three-strip parquet, includes Chevron flooring, which can also be installed using NOVOLOC® 5G interlocking system. The true innovative power of **MULTIflor NOVOLOC® 5G** lies, however, in its „subsurface“: thanks to its completely unique structure, an unprecedentedly low construction height can be achieved without having to compromise on the wear layer.

Surface finish SEDA or TENSEO

Approx. 3.6 mm wear layer from selected solid wood

Approx. 6.2 mm base layer:

Plywood birch, 5-ply water resistant glue

**Ends** with  
hydrophobic impregnation



## PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + 2-LAYER PARQUET
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Only 9.8 mm installation height
- + Glue-down installation
- + Perfect for underfloor heating
- + **1-strip**  
9.8 x 140 x 1200  
9.8 x 140 x 1800  
9.8 x 182 x 2200  
9.8 x 222 x 2400

### NOVOLOC® 5G

With the reliable NOVOLOC® 5G interlocking system planks are simply locked together, aligning themselves automatically click by click.



### LOW INSTALLATION HEIGHT

for an excellent junction to other floor types

**Total thickness:  
9.8 mm**

Values prefixed by „approx.“  
signify a tolerance of ± 10%.

# COMPATIBLE CARE.

A specially developed range of cleaning and care products enhances the natural hues of my wooden floor. These care products protect and preserve the beautiful sheen and individual character of the wood.

## THE GOLD OF THE FOREST


Our hearts beat for parquet „the gold of the forest“ - as we like to call it. This is why we constantly endeavor to create innovative products with the greatest care in order to be able to offer you first-class quality products that will give you pleasure over many decades.

To us at least of equal importance is, what's happening with our „gold“ once it left our factory and is finally brought to your homes.

For that reason we were also intensively engaged in developing the perfect care and maintenance for your parquet floor once it requires an extra portion of care.

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom.

If you require more detailed information, please refer to the Scheucher care instructions.



## DURABLE FLO\_R.

TIP: To preserve the beautiful look of your parquet floor and protect its surface please avoid mechanical damages wherever possible. To avoid scratches and serious damages it is recommended to place mats in the entrance area and remove sand and grit with a broom immediately. Equip your movable furniture with felt gliders and use special rolls for wooden floors on office chairs. Do not leave any wet items on your parquet floor. To assess results properly, try out care and/or cleaning procedures in an inconspicuous place before applying the product.

# CARE & MAINTENANCE TENSEO



## BONA SPRAY MOP

The Bona Spray Mop enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate - just spray and clean!

No polishing required.



BONA REFRESHER  
for care and current cleaning  
for Tenseo Classico.

BONA POLISH MATT  
for care and current cleaning  
for Tenseo Matt.



# CARE & MAINTENANCE SEDA



## CAREboy

Multifunctional, cordless waxer and cleaner for comfortable and efficient cleaning and care of your oiled/waxed flooring.



## CAREboy HIGHLIGHTS

- + Easy and innovative cleaning & care
- + Cordless battery mode
- + Dual drive
- + Minimum water consumption
- + Easier access to corners and hard-to-reach areas
- + Built-in LED lighting for dark areas
- + Low-noise
- + Specially designed nozzle , spraying at the touch of a button
- + Controlled spraying quantity
- + Protects your floor from over-wet



# ACCESSORIES

The whole range is available for every desired staircase and ensures a harmonious overall view in your home.

## STAIRbox

**STAIR**box is a system, that simply enables the digital measurement of stairs and staircases as well as – in addition – the direct purchase of parquet elements ready for assembly from Scheucher.

This is how the service spectrum of every floorer experiences a great expansion and customers get their floor and stairs from professional hands.

## STAIR TREADS

### ALL WOOD TYPES

**STAIR**box makes it possible to create all types of stair treads quickly and easily – irrespective of the basic form or configuration – with the same appearance as the parquet.


## FASCIA BOARDS

### ALL WOOD TYPES

### WHITE FINISHING COAT

### WHITE-PAINTED MDF

What is more, fascia boards that are identical to the installed parquet and blend harmoniously into the overall view are no longer a problem, thanks to **STAIR**box.



## EDGING FRIEZES

**MULTIfloor NOVOLOC® 5G 2200** | 9.8 x 182 x 2200 mm  
6 pieces/pack = 2.403 m<sup>2</sup>, 50 packs/pallet = 120.150 m<sup>2</sup>




## GROOVE CUTTER

**MULTIfloor**  
groove cutter




## SKIRTINGS

For the full effect, every parquet floor needs a clean connection to the walls or similar structures. For this purpose, Scheucher stocks a wide, perfectly-fitting range of skirting boards that can be harmoniously tailored to the parquet installed.





## STAIR NOSINGS

### L-SHAPE NOVOLOC®



### U-SHAPE NOVOLOC®




Stair nosings are available in L- or U-shape for all our products.



# ROOM CLIMATE

This „feel comfortable“ chart for indoor room climate demonstrates the combination of relative humidity and room temperature where the overwhelming majority feels comfortable in indoor rooms.



EN 15251:2012 „Input parameters for indoor climate“ recommends a seasonally caused relative humidity of approx. 30 % to 65 % for a healthy room climate. In this range, natural characteristics of wood like gaps, minor cracks or warpage of your parquet floor may occur in a moderate degree.

In case of long-term deviations, health impairments or excessive changes in the appearance of your hardwood floor, like big deformations, big gaps and cracks may occur. Wood as a natural material reacts more sensitively to changes of the relative humidity than to changes of temperature.

**Therefore the key to success lies in the observance of an optimum relative humidity of your indoor air!**

This generally requires periodic cleaning and maintenance of your parquet floor as well as an appropriate air humidification in the heating season. We therefor recommend cold humidifiers with an integrated sterilization system. The installation of Fidbox records your climate above and under your parquet floor over many years and can be conveniently monitored by mobile app. Paying attention to these important factors will guarantee pleasure over decades with your high-quality parquet floor from Scheucher.

# GUARANTEED FIRST CLASS QUALITY

Each Scheucher parquet floor has a story to tell - of its natural origins and about its processing to the most exacting and environmentally friendly standards; assets which make Scheucher parquet an outstanding quality product. A quality product that delivers what it promises - this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty. Moreover all of our products are subject to an ongoing internal and external quality monitoring process.



RealWood is the official seal of the European Parquet Association confirming the parquet is made from real wood and is no artificial replication.



CE-label confirms compliancy with European Standards and is obligatory when selling this product.



PEFC-certified wood comes from controlled sources of sustainably managed forests.



FSC® certified wood comes from controlled sources which fulfill the worldwide consistent principles of FSC®. Main goal is sustainable forestry in the world. Upon your request, we individually inform you about the availability of FSC® certified wood | parquet floors | wood types at any time.



The Scheucher warranty guarantees full functionality of your hardwood floor for 30 years. The current terms of warranty apply.



Scheucher parquet floors fulfill the award criteria V1.0 of TÜV PROFI-CERT-product Interior Certification.



Scheucher supports sustainable construction via Environmental Product Declarations (EPDs). Our EPD is based on international standards (ISO 14025, ISO 14040ff) as well as the European DIN EN 15804, which provides the basis for EPD's throughout Europe. It is listed for the sustainability assessment of buildings at IBU - Institut Bauen und Umwelt e.V. Furthermore we meet the high demands of the American LEED v4 program. LEED (Leadership in Energy and Environmental Design) is globally recognized and the most widely used green building rating system in the world.

Environmental Product Declarations give the appropriate data basis to represent environmental attributes of a product for its whole lifecycle and include general product-, life cycle assessment- and additional information. Moreover, they are compiled on a basis of criteria, which among others are developed by independent third parties and which are additionally verified independently.



 EXPERTOS EN PARQUET®  
[www.expertosenparquet.com](http://www.expertosenparquet.com)



**SCHEUCHER®**

Scheucher Holzindustrie GmbH  
Zehnsdorf 100 | 8092 Mettersdorf

Branch Vienna  
Zetschegasse 9 | 1230 Vienna

[info@scheucherparkett.at](mailto:info@scheucherparkett.at)  
[www.scheucherparkett.at](http://www.scheucherparkett.at)